

# ExamPrepAway

ExamPrepAway

> Contact Us    Login / Register    Search...

- HOME
- ALL VENDORS
- ★ GUARANTEE
- ? FAQ
- TESTIMONIALS
- CART (0)



Try **Online Engine** before you buy

We're not the only ones **happy** about ExamPrepAway Practice Material ...

56295+ customers in 100+ countries use ExamPrepAway Test Engine. Meet our customers.



<http://www.examprepaway.com/>

Latest Exam Guide & Learning Materials

**Exam :** C2180-184

**Title :** IBM WebSphere Message Broker  
V7.0, System Administration

**Vendors :** IBM

**Version :** DEMO

NO.1 An administrator needs to administer a broker on a Windows platform through the Administration API

exerciser. How can the administrator start the exerciser?

A. Set the mqsiclasspath and then invoke ConfigManagerProxy.sh

B. Invoke the shell script

install\_dir/sample/ConfigManagerProxy/StartConfigManagerProxyExerciser

C. Run the shell script

install\_dir\sample\ConfigManagerProxy\StartConfigManagerProxyExerciser

from a WebSphere Message Broker Command Console.

D. Put a .bat script install\_dir/sample/ConfigMangerProxy/StartConfigManagerProxyExerciser which

can include the broker environment and start the Configuration Manager.

Answer: C

NO.2 An administrator has backed up the broker using the command mqsisbackupbroker. The command was

issued while the broker was running and processing deployments. What is the outcome?

A. The command completes successfully as normal.

B. The backup file contains incomplete information and is unusable.

C. The command does not complete until deployments are complete.

D. An error message was issued indicating the broker was in use.

Answer: B

NO.3 A company has legacy and modern applications co-existing in their enterprise environment. The legacy

application requires business messages in COMMAREA formats while the modern application requires

XML format for processing. There is a need for their web application to interact with legacy and modern

application to process a transaction. What is the recommended way for implementing the desired

solution.?

A. Split the business use case to two different transactions each invoking one target component.

B. Invoke the modern application on XML format request then process the legacy application request.

C. Implement two different format request invocation from the application to the target components.

D. Implement WebSphere Message Broker and route the request on specified formats to the target components.

Answer: D

NO.4 A message flow Flow1 is running on execution group EG1 on the broker BRK1. As per the business requirement, the flow accesses the database for transformation and routing. The user ID and password

used by the flow need to be changed to adhere to the company's new policy for user IDs and passwords.

The administrator has been asked to change the user ID and password for the given message flow

without affecting other flows. The administrator is using the mqsisetdbparms command to set the user ID

and password. Which command should the administrator use next?

- A. mqsisstart BRK1
- B. mqsisreload BRK1 -e EG1
- C. mqsisstartmsgflow BRK1 -e EG1 -m Flow1
- D. mqsisstopmsgflow BRK1 -e EG1 -m Flow1

Answer: B

NO.5 A company has a central server, which stores the catalogue price of everything that the company sells.

This information is required by all Point of Sale (PoS) terminals in all the stores, and each PoS terminal

must be notified of any price change. The PoS terminals connect to the central server through TCP/IP and

wait for any price changes. The server sends any price changes to all connected client applications. The

company has future plans to include other types of PoS clients which uses

WebSphere MQ protocol to interact with the central server. How should the system be implemented?

- A. Implement protocol conversion on the application code.
- B. Implement protocol transformation engines at request entry point.
- C. Implement WebSphere Message Broker with TCP/IP and WebSphere MQ Adapters.
- D. Implement WebSphere Message Broker to support other request protocols like WebSphere MQ.

Answer: D

NO.6 An administrator needs to install service updates to the WebSphere Message Broker V 7.0

toolkit. What should the administrator use to do this?

- A. IBM Support Center
- B. IBM Software Support
- C. IBM Support Assistant
- D. IBM Installation Manager

Answer: D

NO.7 An administrator has been asked to prepare the environment for migration of WebSphere Message

Broker Version 6.0 to WebSphere Message Broker Version 7.0. What steps does the administrator need

to perform to prepare the environment for migration? Upgrade the WebSphere Message Broker Version

6.0 to use:

A. WebSphere MQ Version 7.0.0 before migration, upgrade WebSphere Message Broker runtime to Fix

Pack 9 (Version 6.0.0.9) or later, upgrade

WebSphere Message Broker toolkit to 6.0.2 or later.

B. WebSphere MQ Version 7.0.1 before migration, upgrade WebSphere Message Broker runtime to Fix

Pack 7 (Version 6.0.0.7) or later, upgrade

WebSphere Message Broker toolkit to 6.0.2 or later.

C. WebSphere MQ Version 7.0.1 before migration, upgrade WebSphere Message Broker runtime to Fix

Pack 9 (Version 6.0.0.9) or later, upgrade WebSphere Message Broker toolkit to 6.0.2 or later.

D. WebSphere MQ Version 6.0.2.10 before migration, upgrade WebSphere Message Broker runtime to

Fix Pack 7 (Version 6.0.0.7) or later, upgrade WebSphere Message Broker toolkit to 6.0.2 or later.

Answer: C

NO.8 An administrator has installed WebSphere Message Broker Toolkit V7.0 on a production system which

has an existing implementation of WebSphere Message Broker V6.1. How should the administrator use the WebSphere Message Broker Toolkit V7.0 to administer WebSphere Message Broker 7.0 and WebSphere Message Broker V6.1?

- A. Use the WebSphere Message Broker Toolkit V7.0 to adopt the V6.1 brokers.
- B. Use the WebSphere Message Broker Toolkit V7.0 to connect to the WebSphere Message Broker V6.1.
- C. Install SupportPac I097 to achieve unified administration through the WebSphere Message Broker Toolkit V7.0.
- D. Administration of WebSphere Message Broker V6.1 is not supported through WebSphere Message Broker Toolkit V7.0.

Answer: D

NO.9 An administrator is asked to set up administration security for an existing broker, so that only authorized users can perform administrative tasks against the broker and its resources. What command does the administrator need to run?

- A. mqsisetsecurity
- B. mqsichangebroker
- C. mqsicreateaclentry
- D. mqsichangeproperties

Answer: B

NO.10 An administrator has installed WebSphere Message Broker V7.0 on a production system which has an existing implementation of WebSphere Message Broker V6.1. The administrator already has an Administration API (CMP API) script for monitoring the deployed resources on V6.1. What is the option that the administrator can use to monitor the deployed resources for WebSphere Message Broker V7.0?

- A. Install SupportPac I098.
- B. Reuse the existing Administration API script.
- C. Update the CLASSPATH to add new API JARs.

D. Update the existing Administration API script to remove deprecated API calls.

Answer: B

NO.11 An administrator has been asked to do capacity planning for the implementation of WebSphere

Message Broker on an already existing system where other enterprise applications are running.

What is the recommended approach for sizing?

A. Analyze the current capacity sizing on the system.

B. Implement WebSphere Message Broker and add 1GB RAM in current production.

C. Implement WebSphere Message Broker on the production so the capacity planning can be done.

D. Vertically scale the system by adding CPU, RAM & disk space if needed for Message Broker implementation.

E. Generate the capacity planning report via the capacity planning for a given topology feature in

WebSphere Message Broker.

Answer: A,D

NO.12 An administrator needs to group several brokers into a Broker Set to make it easier to manage them

from a single WebSphere Message Broker Explorer workspace. The administrator creates an Automatic

Broker Set using the filter brokerEnvironment:Production. Which of the following steps does the

administrator need to perform in WebSphere Message Broker Explorer to ensure the correct brokers are

in this Broker Set?

A. Drag and drop the correct brokers onto the Broker Set.

B. Manually change the Properties of the correct brokers.

C. Manually change the Broker Tags of the correct brokers.

D. Define the properties of the filter to select brokers by the correct name.

Answer: C

NO.13 An administrator needs to modify the JVM Heap Size property that is associated with an execution

group. Which command should the administrator execute?

- A. mqsichangebroker
- B. mqsichangeproperties
- C. mqsichangeexecutiongroup
- D. mqsicreateexecutiongroup

Answer: B

NO.14 A broker administrator needs to verify the number of message flows that are running or will start to run

within each execution group in a running broker. Which detail level should be specified for

mqsilist BRK1

-d?

- A. 0
- B. 1
- C. 2
- D. 3

Answer: C

NO.15 An administrator has backed up a broker on AIX using the command

mqsibackupbroker. After the

broker is restored on a new machine, which one of the following tasks must be completed?

- A. Restore JAR files that were deployed in BAR files.
- B. Restore the configurable services that were defined.
- C. Restore the necessary MQ queues for message flows.
- D. Restore the /var/mqsi/components/<broker> file system.

Answer: C