

ExamPrepAway

ExamPrepAway

> Contact Us Login / Register Search...

- HOME
- ALL VENDORS
- ★ GUARANTEE
- ? FAQ
- TESTIMONIALS
- CART (0)



Try **Online Engine** before you buy

We're not the only ones **happy** about ExamPrepAway Practice Material ...

56295+ customers in 100+ countries use ExamPrepAway Test Engine. Meet our customers.



<http://www.examprepaway.com/>

Latest Exam Guide & Learning Materials

Exam : **C_P2WAB_2507**

Title : SAP Certified Associate - Back
-End Developer - ABAP Cloud

Vendor : SAP

Version : DEMO

NO.1 You want to extract date information of a flight date (f_info) and format it like yyyy-dd-mm using the following code:

```
SELECT FROM TABLE dtab1
FIELDS f1,  extract_year( f_info ) && '-' && extract_month( f_info ) && '-' && extra
```

For the extract_* functions to work, what can be the data dictionary types of f_info? Note: There are 3 correct answers to this question.

- A. DATS
- B. UTCLONG
- C. TIMS
- D. TIMESTAMP
- E. TIMN

Answer: A,B,D

NO.2 Which of the following are rules that extensions in SAP S/4HANA Cloud, public edition must adhere to? Note: There are 3 correct answers to this question.

- A. Use tier 2 wrappers to enable access to non-released SAP APIs.
- B. Modify SAP objects in exceptional cases only.
- C. Use released remote or local SAP APIs.
- D. Use cloud-enabled and released technologies.
- E. Extend SAP objects through predefined extension points.

Answer: B,C,E

NO.3 In class ZCL_CLASS_A, you use the statement DATA var TYPE ***

What may stand in place of ***? Note: There are 2 correct answers to this question.

- A. The name of a domain from the ABAP Dictionary
- B. The name of a data element from the ABAP Dictionary
- C. The name of a type defined privately in another class
- D. The name of a type defined privately in class ZCL_CLASS_A

Answer: B,D

NO.4 You want to join two database tables, T_CARRIER, and T_CONNECTIONS, to retrieve all carriers, whether they have corresponding connections or not.

Which statements would achieve this? Note: There are 2 correct answers to this question.

A.

```
SELECT FROM t_carrier LEFT INNER JOIN t_connections
ON _
```

B.

```
SELECT FROM t_connections RIGHT OUTER JOIN t_carrier
ON _
```

C.

```
SELECT FROM t_carrier LEFT OUTER JOIN t_connections
ON _
```

D.

```
SELECT FROM t_carrier INNER JOIN t_connections  
ON _
```

Answer: A,D

NO.5 What are some necessary parts of the singleton pattern? Note: There are 3 correct answers to this question.

- A. Static attribute to store address of the singleton instance must exist.
- B. Class creation is set to "create private".
- C. Class method to create the singleton instance must exist.
- D. Constructor visibility is set to private.
- E. Class method to create the singleton instance is set to private.

Answer: A,C,D

NO.6 What RESTful Application Programming object contains only the fields required for a particular app?

- A. Database view
- B. Data model view
- C. Projection view
- D. Metadata extension

Answer: C

NO.7 Given the following data definitions:

```
DATA: text TYPE string VALUE 'Date 1972-04-01 is in ISO format'.  
DATA: regex TYPE string VALUE '[0-9]{4}(-[0-9]{2}){2}'.
```

In which of the following functions can you use regular expressions? Note: There are 3 correct answers to this question.

- A. condense(val = text pcre= regex)
- B. find(val = text pcre = regex)
- C. match(val=text pcre= regex)
- D. reverse(val text pere regex)
- E. matches(val = text pcre = regex)

Answer: A,B,C

NO.8 After you created a database table in the RESTful Application Programming model, what do you create next?

- A. A metadata extension
- B. A projection view
- C. A service definition
- D. A data model view

Answer: D